



LOGOS

DEF-STAN 58/96 Cleaning Test Equipment



Product Catalog

The DEF-STAN 58/96 Cleaning Test Equipment is designed to determine the purity of gases such as argon, air, or nitrogen. These units feature optional gas connection ports that can be customized according to customer needs and used accordingly.

The internal architecture of the unit can be configured based on the pressure of the gas being tested. This equipment allows for quick determination of whether the gas meets DEF-STAN 58/96 cleanliness standards, either in the field or in a production environment, aiding in decision-making processes.

Additionally, the device is suitable for use in IIR seeker cooling operations. With its versatile design and reliable performance, it is an essential tool for ensuring gas purity in critical applications.





Operates Without Electricity

DEF-STAN Cleanliness Compliant

Portable

Immediately Ready for Use
(No Installation Required)

Lightweight



Endurance Temperature

-45 / +71°C

Working Temperature

-40 / +60°C

Maximum Inlet Pressure

650 Bar

Minimum Inlet Pressure

200 Bar

Inlet Port

Customizable Connectors



LOGOS



Address

Logos Kimya Teknolojileri Sanayi ve Ticaret Ltd. Őti.
OstimOSB Mah. 1151. Sk No: 66 Gl 86 Sitesi
Yenimahalle Ankara Trkiye

Contact

Phone: +90(312) 385 20 82

Email: info@logoskimya.com