



LOGOS

High Pressure Gas Filling Systems



Product Catalog

High-Pressure Gas Filling Systems are designed to provide pressures up to 700 Barg, making them ideal for demanding applications. They meet strict DEF-STAN 58/96 cleanliness standards to ensure reliability and safety. These systems can be customized to meet customer requirements and may include an optional automatic control software with a user-friendly control interface.


Additionally, the battery-operated ground filling option enhances the versatility of these systems. Suitable for high-pressure air, nitrogen, argon, and hydrogen applications, they offer an excellent solution for ground filling operations, high-pressure tank filling, pneumatic power systems, gas distribution systems, and cryogenic applications.



Automatic Control Software Option

User-friendly Control Screen

Possibility of Battery Operated Ground Filling Option




Working Pressure	Up to 750 Barg Pressure
Available Gases	High Pressure Air, Nitrogen, Argon and Hydrogen Application
Fields of Usage	Ground Filling Operations, High Pressure Tank Filling, Pneumatic Power Systems, Gas Distribution Systems, Cryogenic Applications
Applicable Standards	Cleaning to DEF-STAN 58/96 Standard



Automatic Control Software Option

User-friendly Control Screen

Possibility of Battery Operated Ground Filling Option



Working Pressure	Up to 750 Barg Pressure
Available Gases	High Pressure Air, Nitrogen, Argon and Hydrogen Application
Fields of Usage	Ground Filling Operations, High Pressure Tank Filling, Pneumatic Power Systems, Gas Distribution Systems, Cryogenic Applications
Applicable Standards	Cleaning to DEF-STAN 58/96 Standard



LOGOS



Address

Logos Kimya Teknolojileri Sanayi ve Ticaret Ltd. Őti.
OstimOSB Mah. 1151. Sk No: 66 Gl 86 Sitesi
Yenimahalle Ankara Trkiye

Contact

Phone: +90(312) 385 20 82
Email: info@logoskimya.com